



Osnias-ID: A Clearing ID Account as Inter-chain Identifier

Denis Bouzon

► To cite this version:

| Denis Bouzon. Osnias-ID: A Clearing ID Account as Inter-chain Identifier. 2026. <hal-05746489>

HAL Id: hal-05746489

<https://hal.science/view/index/docid/5746489>

Preprint submitted on 11 Sep 2026

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons CC BY 4.0 - Attribution - International License

Osnias-ID:

A Clearing ID Account as Inter-chain Identifier

New Release 2,0 - *Clearing Account Identifier · Technical White Paper & Public Specification*

Author	Denis Bouzon
Project	Osnias Clearing
ORCID	0009-0007-8894-8902
Website	https://www.osnias-clearing.com
Contact	contact@osnias-clearing.com
Old Release 1,0 DOI	https://zenodo.org/records/22671092
Release	Version 2.0 · Major Public Release · 11 September 2026
License	Creative Commons Attribution 4.0 International (CC BY 4.0)

Abstract

Osnias-ID (OID) is a project-specific internal identifier for clearing accounts within the Osnias Clearing network. Release 2.0 extends the identifier from 16 to 19 decimal digits and makes two clearing properties intrinsic to the identifier: the ISO 4217 numeric currency code and the clearing-cycle duration expressed in weeks. The canonical format is KK-NNN-MMM-WW-SSSSSS-XX. This enables a clearing account to be structurally bound to both its monetary rail and its clearing-room cycle before admission to escrow, payment messaging or settlement workflows.

The complete 19-digit value fits within an unsigned 64-bit integer. Implementations may therefore store the canonical numeric OID in a uint64 / 8-byte machine word while presenting the same value to users in the hyphenated decimal form. Currency, cycle, checksum and registry status remain independent admission controls: a correct checksum alone never proves eligibility.

Osnias-ID is not a legal-entity identifier, bank account number, wallet address, regulatory authorization number, security or token. The authoritative legal/KYC mapping remains in the controlled registry layer.

Keywords

Osnias Clearing, Osnias-ID, Clearing Account Identifier, Multi-Chain Clearing, ISO 4217, Clearing Cycle, Escrow, Currency Binding, uint64, 8-byte Identifier, MOD-97 Checksum, Participant Registry, Wallet Identity, KYC, KYB, AML, ISO 20022, Institutional Blockchain

Table of Contents

1. Original Design Intent: Why Osnias-ID Is Needed
2. Purpose and Scope
3. Status of the Specification
4. Identifier Structure — Release 2.0
5. Currency and Clearing-Cycle Binding
6. Identity and Addressing Are Separate Layers
7. Registry Architecture
8. Access Control: Osnias-ID Required for Clearing Participants
9. One Legal Entity, Multiple Osnias-ID Clearing Accounts
10. Cross-Chain Use
11. External Identifier Interoperability
12. Relationship to ISO 20022 and ISO 4217
13. Allocation Hierarchy
14. Machine Representation: 19 Decimal Digits in uint64
15. API and Resolution Model
16. Normative Checksum Specification
17. Checksum Test Vectors
18. Formatting Rules
19. Uniqueness and Re-Issuance
20. Lifecycle States
21. Security Model
22. Smart-Contract Boundary
- 22.1 Planned Dual On-Chain Registry Control Architecture
23. Payment Message Integration
24. Institutional Interoperability
25. Privacy and Data Protection
26. Auditability and Governance
- Annex A — Machine Validation Pseudocode
- Annex B — KK Chain / Network Code Allocation Rules
- Annex C — Reference Test Vectors
- Annex D — Standards and External References
- Revision Note — Release 2.0

1. Original Design Intent: Why Osnias-ID Is Needed

Osnias-ID was originally designed to provide Osnias Clearing with a compact, chain-independent reference that can be used consistently across a multi-chain clearing environment. Release 2.0 preserves that purpose while moving two safety-critical clearing attributes — currency and cycle — into the identifier itself.

1.1 Chain-independent clearing reference

The identifier does not depend on the addressing system, account model or technical conventions of any specific blockchain. The technical wallet or escrow address may change under controlled procedures without changing the legal identity behind the account.

1.2 Compact messaging and deterministic routing

Instead of transporting complete identity records or repeated chain-specific metadata, the protocol may transport the OID and resolve detailed participant information through the registry. Release 2.0 additionally allows the receiving component to derive the intended currency rail and clearing cycle directly from the OID before registry lookup or execution.

1.3 Prevent monetary and temporal routing collisions

A clearing account that is valid for one currency or one clearing-room cycle must not be silently admitted into another. Release 2.0 therefore treats currency and cycle as protocol-level invariants rather than as optional database metadata.

RELEASE 2.0 DESIGN OBJECTIVE

A clearing account is identified not only by its registry allocation, but also by the currency rail and clearing cycle for which its escrow relationship was created.

2. Purpose and Scope

- Participant and clearing-account identification and registry lookup.
- Binding between an OID and authorized technical address(es).
- Binding of the OID to an ISO 4217 numeric currency code.
- Binding of the OID to an authorized clearing-cycle duration expressed in weeks.
- Admission control for escrow, payment, clearing and settlement requests.
- Audit trail for identifier creation, wallet binding, lifecycle changes and routing checks.

3. Status of the Specification

This document is a public preprint / working specification. Version 2.0 is a major specification transition from the 16-digit Release 1.0 format to a 19-digit format. It does not claim external certification or regulatory approval.

4. Identifier Structure — Release 2.0

KK-NNN-MMM-WW-SSSSSSS-XX

Field	Length	Authority	Meaning
KK	2	Osnias Clearing	Escrow-capable blockchain / network code.
NNN	3	Osnias Clearing	Authorized server / escrow-node code.
MMM	3	ISO 4217 / Osnias validation	Numeric ISO 4217 currency code used by the clearing account.
WW	2	Osnias Clearing	Clearing cycle in whole weeks; e.g. 01, 04, 13.
SSSSSSS	7	Registry server	Server-assigned sequential or controlled unique account value within the KK/NNN/MMM/WW namespace.
XX	2	Registry server	MOD-97 checksum calculated over the preceding 17 payload digits.

The canonical display contains 19 decimal digits excluding separators. Leading zeroes are significant in the human-readable form. The 17-digit payload is KK || NNN || MMM || WW || SSSSSSS. XX completes the identifier.

5. Currency and Clearing-Cycle Binding

MMM and WW are not descriptive labels. They are safety-critical routing fields. They are established when the clearing account and its associated escrow relationship are created.

5.1 Currency field MMM

MMM contains the three-digit numeric ISO 4217 code of the currency rail. Examples include 840 for USD, 978 for EUR, 756 for CHF and 156 for CNY. The current acceptance list is maintained by Osnias Clearing. An OID must not be admitted into a clearing rail whose configured currency differs from MMM.

5.2 Clearing-cycle field WW

WW expresses the clearing cycle in whole weeks. Examples: 01 = 7 days, 04 = 28 days, 13 = 91 days. Only cycles explicitly enabled by Osnias Clearing are valid. The field does not itself open a clearing room; it binds the account to the authorized cycle configuration.

CLEARING ADMISSION INVARIANT

OID currency = escrow currency = clearing-rail currency, and OID cycle = escrow cycle = clearing-room cycle. Any mismatch must fail closed before mint, payment admission or settlement.

A single legal entity may therefore hold several OIDs in the same currency if it participates in different clearing cycles, or several OIDs for different currencies within the same cycle.

6. Identity and Addressing Are Separate Layers

An OID identifies a clearing account. A wallet address identifies a technical destination or signing account. A legal-entity record identifies the company or institution behind one or more clearing accounts. These layers must remain separate.

- Legal identity: company or institution and its recognized external identifiers.
- Osnias-ID: clearing-account identifier with embedded currency and clearing cycle.
- Wallet / escrow address: technical execution endpoint.
- KYC/KYB evidence: controlled identity and verification data.

7. Registry Architecture

The Osnias Registry remains the authoritative resolution layer between an OID and the participant's authorized operational data. Release 2.0 deliberately does not move legal identity or KYC/KYB evidence on-chain merely because the OID itself can be encoded on-chain.

- Canonical OID and decoded KK, NNN, MMM, WW and SSSSSSS fields.
- Current authorized wallet and escrow address bindings.
- Participant status: active, suspended, revoked, pending or archived.
- Identity-verification status and timestamp.
- Optional external identifiers such as LEI, UID/CHE or national company registration references.
- Creation, update, revocation and historical binding audit records.

PRIVACY BOUNDARY

Personal or confidential KYC/KYB evidence should not be written to a public blockchain merely because the OID is used on-chain or in a clearing message.

8. Access Control: Osnias-ID Required for Clearing Participants

1. Parse the 19-digit OID and validate its structure.
2. Validate the MOD-97 checksum.
3. Decode and compare MMM with the target escrow / clearing currency.
4. Decode and compare WW with the target clearing-room cycle.
5. Resolve the OID in the authoritative registry and verify ACTIVE status.
6. Verify the wallet / escrow binding and any lender, network, jurisdiction or transaction-specific eligibility rule.
7. Only then admit the operation.

FAIL-CLOSED PRINCIPLE

A structurally valid OID with a correct checksum is insufficient. Currency, cycle, registry state and operational address bindings must all be valid.

9. One Legal Entity, Multiple Osnias-ID Clearing Accounts

An OID is not a company identifier. It is the identifier of a clearing account linked to an identified participant. A company may therefore hold multiple OIDs while all remain linked in the registry to the same legal entity.

Legal entity	Currency	Cycle	Example role
Company A	USD (840)	13 weeks	ORUSD 91-day clearing account
Company A	USD (840)	04 weeks	USD 28-day clearing account
Company A	EUR (978)	13 weeks	OEURO 91-day clearing

Legal entity	Currency	Cycle	Example role
			account

10. Cross-Chain Use

OID remains an internal interchain clearing reference. KK identifies the network or rail allocation. The identifier does not itself grant cross-chain execution rights; each chain-specific action remains subject to the relevant contracts, controller permissions, escrow state and registry state.

11. External Identifier Interoperability

External reference	Possible use	Boundary
LEI	Legal-entity cross-reference	Osnias does not issue LEIs.
Swiss UID / CHE	Swiss enterprise cross-reference	Osnias does not issue UID numbers.
FINMA register data	Regulatory-status metadata where publicly applicable	No FINMA endorsement or authorization is implied.
Other national identifiers	Jurisdiction-specific matching	Subject to source and privacy constraints.

12. Relationship to ISO 20022 and ISO 4217

Osnias-ID is not an ISO 20022 identifier and is not claimed to be an ISO 20022-certified data element. ISO 20022 concepts may be used as interoperability references when mapping participant, account, agent or payment-message data.

Release 2.0 uses the three-digit numeric ISO 4217 currency code as the semantic basis of MMM. This use does not make Osnias-ID an ISO standard, nor does it imply endorsement by ISO. Osnias Clearing remains responsible for deciding which currency codes are enabled as clearing rails.

13. Allocation Hierarchy

Level	Field	Authority	Control objective
1	KK	Osnias Clearing	Allocate and maintain network / rail codes.
2	NNN	Osnias Clearing	Allocate authorized server / escrow-node codes.
3	MMM	ISO 4217 reference + Osnias policy	Bind account to an enabled currency rail. Chosen by end-user
4	WW	Osnias Clearing	Bind account to an enabled clearing cycle. Chosen by end-user
5	SSSSSSS	Registry server	Issue unique account values within the KK/NNN/MMM/WW namespace.
6	XX	Registry server	Calculate deterministic integrity check digits.

AUTHORITY INVARIANT

KK and NNN are assigned by Osnias. MMM must be an enabled ISO 4217 numeric currency code. WW must be an enabled clearing cycle. SSSSSSS is assigned by the registry server. XX is calculated by the registry server. No field may be silently reassigned by a wallet, user interface or downstream smart contract.

14. Machine Representation: 19 Decimal Digits in uint64

The complete canonical OID contains 19 decimal digits. The maximum possible 19-digit value is 9,999,999,999,999,999, which is below the uint64 maximum of 18,446,744,073,709,551,615. Every canonical Release 2.0 OID therefore fits in an unsigned 64-bit integer.

Representation	Size	Purpose
Canonical human display	19 decimal digits + separators	Readable exchange and documentation.
Canonical numeric value	19 decimal digits, no separators	Deterministic parsing and checksum validation.
Machine storage	uint64	8-byte compact on-chain / software representation.
Hexadecimal rendering	up to 16 hex digits	Diagnostic representation of the same uint64 value.

Leading zeroes are part of the canonical display but are not preserved by ordinary integer formatting. Any component converting from uint64 back to the human form must left-pad the numeric value to exactly 19 decimal digits before inserting separators.

ENCODING PRINCIPLE

Decimal and hexadecimal are two presentations of the same 64-bit integer. The security semantics are carried by the field layout and validation rules, not by the choice of display radix.

15. API and Resolution Model

Example lookup request:

```
GET /api/osnias-id/01-001-840-13-0000001-18
```

Example response:

```
{
  "osnias_id": "01-001-840-13-0000001-18",
  "status": "ACTIVE",
  "checksum_valid": true,
  "currency_numeric": "840",
  "cycle_weeks": 13,
  "wallets": [],
  "external_identifiers": {}
}
```

16. Normative Checksum Specification

Release 2.0 retains the two-digit MOD-97 integrity rule, extended to the new 17-digit payload.

16.1 Input

Remove display separators. Let B be the 17-digit decimal string: B = KK || NNN || MMM || WW || SSSSSSS.

16.2 Calculation

Append two zero digits to B, producing B00.

Interpret B00 as a non-negative decimal integer.

Compute $r = B00 \bmod 97$.

Compute $XX = 98 - r$.

Encode XX as exactly two decimal digits, including a leading zero if required.

16.3 Validation

Let I be the complete 19-digit identifier $B || XX$. A structurally valid checksum satisfies: $I \bmod 97 = 1$.

STANDARDIZATION NOTICE

This is the normative Osnias-ID checksum rule for Release 2.0. It uses MOD-97 arithmetic and is independently reproducible. It is not a cryptographic signature, MAC, proof of registry membership or claim of formal ISO/IEC 7064 conformity.

17. Checksum Test Vectors

KK	NNN	MMM	WW	SSSSSSS	XX	Canonical display
01	001	840	13	0000001	18	01-001-840-13-0000001-18
01	001	978	04	0000002	19	01-001-978-04-0000002-19
02	023	756	01	1234567	83	02-023-756-01-1234567-83
12	034	156	13	7654321	54	12-034-156-13-7654321-54
99	099	840	52	9999999	28	99-099-840-52-9999999-28

17.1 Worked example

For OID 01-001-840-13-0000001-18:

```

B      = 010018401300000001
B00    = 01001840130000000100
r      = B00 mod 97 = 80
XX     = 98 - 80 = 18
I      = 01001840130000000118
I mod 97 = 1  -> VALID

```

17.2 Error detection

The checksum is intended to detect common transcription and data-entry errors, including accidental changes to the embedded currency or cycle digits. It does not replace registry, escrow, currency or cycle validation.

18. Formatting Rules

- Canonical display: KK-NNN-MMM-WW-SSSSSSS-XX.
- Canonical numeric value: 19 decimal digits without separators.
- Leading zeroes are significant in the canonical display.
- Spaces are not permitted in the canonical value.
- The checksum is calculated from the first 17 payload digits only.
- Formatting separators are excluded from checksum calculation.
- When converting a uint64 to display form, left-pad to 19 decimal digits before field splitting.

19. Uniqueness and Re-Issuance

The seven-digit SSSSSSS field provides 10,000,000 local values for each $KK \times NNN \times MMM \times WW$ namespace. If a server approaches exhaustion for a given currency and cycle, Osnias may allocate another NNN server / node code rather than recycling previously issued identifiers.

NON-REUSE PRINCIPLE

A previously issued OID should remain historically unique even after closure, revocation or migration. Revoked values should remain reserved or tombstoned.

20. Lifecycle States

State	Meaning	Clearing admission
PENDING	Record created but not fully activated.	Rejected
ACTIVE	Account, currency/cycle binding and wallet binding valid.	Eligible, subject to other rules
SUSPENDED	Temporarily disabled.	Rejected
REVOKED	Permanently withdrawn.	Rejected
ARCHIVED	Historical record retained for audit.	Rejected

21. Security Model

- Fail closed when registry resolution is unavailable or ambiguous.
- Validate the 19-digit structure and checksum before expensive resolution steps.
- Compare MMM against the escrow and clearing-room currency before admission.
- Compare WW against the escrow and clearing-room cycle before admission.
- Require ACTIVE registry state independently of checksum validity.
- Verify current wallet / escrow bindings.
- Prevent client-side generation of authoritative OID values.
- Log creation, binding, replacement, suspension, revocation and configuration changes.
- Protect private KYC/KYB data independently from public OID resolution.

DEFENSE IN DEPTH

Currency binding, cycle binding, checksum validation, registry membership and escrow/address authorization are separate controls. Compromise of one layer must not silently authorize an incompatible clearing operation.

22. Smart-Contract Boundary

Where an OID is referenced by a smart contract, Release 2.0 permits a compact uint64 representation. The contract may decode the semantic fields required for deterministic routing and admission checks, especially MMM and WW. Smart contracts should not become the authoritative repository of private legal or KYC/KYB information.

A contract that receives an OID for a clearing operation should reject the operation if the decoded currency or cycle differs from the configured rail, even if an upstream application or SQL database reports a different mapping.

23. Planned Dual On-Chain Registry Control Architecture

The Osnias-ID control architecture provides for two complementary on-chain Osnias Registry components. On the escrow network, the registry oracle verifies and records each newly admitted escrow account and binds the native escrow account to its Osnias-ID. On Sei, a second on-chain registry records the corresponding Osnias-ID ↔ local 0x clearing-address mapping.

Both registries follow an append-only, write-once principle. Once a validated Osnias-ID binding has been written to the chain, that record becomes an immutable network record: it cannot be deleted, overwritten, reassigned or rolled back. The registry can only progress by appending new validated records, thereby preserving the complete historical sequence of escrow-account and Sei-address bindings.

This dual-registry model provides an additional on-chain control layer alongside the checksum, currency (MMM), clearing cycle (WW) and registry-status validations defined in this specification. The detailed oracle architecture, smart-contract interfaces, registration workflow, validation logic and source code will be described in a subsequent dedicated Osnias Clearing technical publication.

24. Institutional Interoperability

For banks, escrow providers, lenders or regulated partners, OID can operate as the internal clearing-network key used to reconcile technical addresses with institutionally recognized counterparties. Currency and cycle binding allows a partner to determine that an account was created for the same monetary and temporal clearing context as the requested operation.

25. Privacy and Data Protection

- Apply data minimization and store only fields required for the clearing purpose.
- Separate public identifier data from confidential identity evidence.
- Avoid placing personal addresses, e-mail addresses, telephone numbers or identity documents directly on-chain.
- Use access controls and purpose limitation for registry queries containing non-public data.
- Preserve audit evidence where legally or operationally necessary without exposing unnecessary personal data.

26. Auditability and Governance

- Structural audit: 19-digit format, field lengths, uint64 bounds and checksum.
- Routing audit: MMM/WW decoding and comparison with escrow / clear-room configuration.
- Registry audit: allocation authority, uniqueness, lifecycle and wallet binding history.
- Security audit: privileged administration, API authorization, fail-closed behavior and logging.
- Protocol audit: enforcement of “no valid OID, no clearing request” and currency/cycle invariants.

Annex A — Machine Validation Pseudocode

```
function validateOsniasId(input, expectedCurrency, expectedCycle):
    digits = removeHyphens(input)
    if length(digits) != 19: return false
    if digits contains non-decimal characters: return false

    payload = digits[0:17]
    receivedXX = digits[17:19]

    kk      = digits[0:2]
    nnn     = digits[2:5]
    mmm     = digits[5:8]
    ww      = digits[8:10]
    sequence = digits[10:17]

    remainder = integer(payload + "00") mod 97
    expectedXX = leftPad2(98 - remainder)
    if receivedXX != expectedXX: return false
    if integer(digits) mod 97 != 1: return false

    if mmm != expectedCurrency: return false
    if integer(ww) != expectedCycle: return false

    oid64 = uint64(integer(digits))
    record = registry.resolve(oid64)
    if record.status != ACTIVE: return false
    if not record.authorizesCurrentAddress(): return false
    return true
```

Production implementations must additionally validate the target escrow, lender, chain/network and any other applicable eligibility conditions. Structural validation alone is insufficient.

Annex B — KK Chain / Network Code Allocation Rules

- KK contains exactly two decimal digits. KK=00 remains permanently reserved as null/unassigned.
- KK is allocated and controlled by Osnias Clearing as the code identifying a supported blockchain/network domain.
- Detailed network metadata is maintained separately so it can evolve without changing the OID field width.

- Deprecated or retired KK values remain historically documented and must not be silently reassigned.

Annex C — Reference Test Vectors

01-001-840-13-0000001-18 VALID

01-001-978-04-0000002-19 VALID

02-023-756-01-1234567-83 VALID

12-034-156-13-7654321-54 VALID

99-099-840-52-9999999-28 VALID

Implementations should include these vectors in automated tests. A single-digit change, including a currency or cycle digit, should normally invalidate the checksum.

Annex D — Standards and External References

- ISO 4217 — Codes for the representation of currencies, including three-digit numeric currency codes used as the semantic basis of MMM.
- ISO 20022-1:2026 — Financial services — Universal financial industry message scheme — Part 1: Metamodel.
- ISO 20022-3:2026 — Financial services — Universal financial industry message scheme — Part 3: Modelling.
- ISO/IEC 7064:2003 — Information technology — Security techniques — Check character systems.
- ISO 17442 series / Global Legal Entity Identifier (LEI) system — external legal-entity identification framework.

Osnias-ID remains a proprietary project identifier unless and until an external standards body, regulator or other competent authority explicitly determines otherwise. References to external standards are interoperability references and do not imply certification or endorsement.

Revision Note — Release 2.0

- Released as Version 2.0 on 11 September 2026.
- Major format transition from 16 to 19 decimal digits.
- Replaced KK-NNN-AAAAAAAA-XX with KK-NNN-MMM-WW-SSSSSS-XX.
- Added MMM as the three-digit ISO 4217 numeric currency field.
- Added WW as the two-digit clearing-cycle field expressed in whole weeks.
- Expanded the server-local account sequence to seven digits, providing 10,000,000 values per KK × NNN × MMM × WW namespace.
- Defined the complete 19-digit identifier as compatible with uint64 / 8-byte machine storage.
- Defined the mandatory currency invariant: OID currency = escrow currency = clearing-rail currency.
- Defined the mandatory cycle invariant: OID cycle = escrow cycle = clearing-room cycle.
- Extended the MOD-97 checksum payload from 14 to 17 digits and published new Release 2.0 test vectors.
- Retained registry validation, ACTIVE lifecycle status and address/escrow authorization as independent controls.
- Clarified that checksum, currency and cycle fields do not replace legal/KYC registry controls.
- Retained CC BY 4.0 publication licensing and explicit no-certification / no-endorsement boundaries.
- Added a succinct description of the planned dual on-chain Osnias Registry architecture: escrow-side registration of Osnias-ID ↔ escrow-account bindings and Sei-side registration of Osnias-ID ↔ local 0x clearing-address bindings, both operating under an append-only, write-once principle. Once written, a validated binding is an immutable network record and cannot be deleted, overwritten, reassigned or rolled back. Detailed oracle and smart-contract architecture and source code are reserved for a subsequent dedicated publication.

MAJOR RELEASE RATIONALE

Release 2.0 moves monetary and temporal clearing compatibility from mutable application metadata into the canonical OID itself, while preserving compact machine representation and the separation between legal identity, clearing account and technical execution address.

END OF DOCUMENT